

Refine Search

Search Results -

| Term | Documents |
|---|-----------|
| ADC | 14107 |
| ADCS | 2571 |
| ANALOG/DIGITAL | 5709 |
| ANALOG/DIGITALS | 0 |
| "ANALOG TO DIGITAL ADJ CONVERTER\$1" | 0 |
| TOUCH | 87668 |
| TOUCHES | 16151 |
| FIRST | 1188648 |
| FIRSTS | 249 |
| CONSECTIVE | 13 |
| CONSECTIVES | 0 |
| (((ADC OR ANALOG/DIGITAL ADJ CONVERTER\$1 OR "ANALOG TO DIGITAL ADJ CONVERTER\$1") AND TOUCH ADJ (SCREENS\$1 OR PANEL\$1 OR PAD\$1) AND FIRST ADJ COORDINATES\$1 AND CONSECTIVE ADJ COORDINATE AND COORDINATE ADJ POSITION\$6 AND NOISE ADJ (REDUCUTION OR ELIMINAT\$6) AND "NO TOUCH" AND (DIGITAL ADJ SIGNAL\$1 OR BIT ADJ LEVEL\$1)).CLM.).PGPB. | 0 |

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US OCR Full-Text Database

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

L6



Refine Search

Recall Text



Clear

Interrupt

Interference Search



Search History

DATE: Wednesday, January 24, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|---------------------------|---|----------------------------|--|
| side by side | | | |
| | <i>DB=PGPB; PLUR=YES; OP=ADJ</i> | | |
| | ((ADC or analog/digital adj converter\$1 or "analog to digital adj converter\$1") and touch adj (screen\$1 or panel\$1 or pad\$1) and first adj coordinate\$1 and consecutive adj coordinate and coordinate adj position\$6 and noise adj (reduction or eliminat\$6) and "no touch" and (digital adj signal\$1 or bit adj level\$1)).CLM. | 0 | <u>L6</u> |
| | <i>DB=USPT; PLUR=YES; OP=ADJ</i> | | |
| <u>L5</u> | touch adj (screen or panel) same noise adj (reduction or elimination) | 9 | <u>L5</u> |
| <u>L4</u> | touch adj (screen or panel) same coordinate\$1 same determination same noise near2 elimination | 0 | <u>L4</u> |
| <u>L3</u> | touch adj (screen or panel) same coordinate\$1 same determination same noise adj reduction | 0 | <u>L3</u> |
| <u>L2</u> | touch adj (screen or panel) same coordinate\$1 same determination | 44 | <u>L2</u> |
| <u>L1</u> | touch adj (screen or panel or pad) same coordinate\$1 | 1760 | <u>L1</u> |

END OF SEARCH HISTORY

Freeform Search

| | | |
|---|--|--|
| Database: | US Pre-Grant Publication Full-Text Database | |
| | US Patents Full-Text Database | |
| | US OCR Full-Text Database | |
| | EPO Abstracts Database | |
| | JPO Abstracts Database | |
| | Derwent World Patents Index | |
| | IBM Technical Disclosure Bulletins | |
| Term: | L26 and @py<=2001 |   |
| Display: | <input type="text" value="20"/> Documents in Display Format: <input type="text" value="TI"/> Starting with Number <input type="text" value="1"/> | |
| Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image | | |

Search

Clear

Interrupt

Search History

DATE: Wednesday, January 24, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|---------------------------|---|----------------------------|---|
| | <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i> | | |
| <u>L27</u> | L26 and @py<=2001 | 7 | <u>L27</u> |
| <u>L26</u> | L22 and (digital adj (signal or reading) or bit adj lever adj signal) | 36 | <u>L26</u> |
| <u>L25</u> | L24 and digital adj (signal or reading) | 7 | <u>L25</u> |
| <u>L24</u> | l22 and @py<=2001 | 19 | <u>L24</u> |
| <u>L23</u> | L20 and ((ADC or "analog to digital convcereter" or analog/digital adj converer) adj (signal or reading)) | 1 | <u>L23</u> |
| <u>L22</u> | L20 and (ADC or "analog to digital" adj (signal or reading)) | 71 | <u>L22</u> |
| <u>L21</u> | L20 and "analog to digital" adj (signal or reading) | 0 | <u>L21</u> |
| <u>L20</u> | L1 and determin\$6 same touch\$6 | 1888 | <u>L20</u> |
| <u>L19</u> | l1 and generat\$6 adj pixel adj coordinate\$1 same "no touch" adj detect\$6 | 0 | <u>L19</u> |
| | <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i> | | |
| <u>L18</u> | l16 and detect\$6 adj "no touch" | 11 | <u>L18</u> |
| | <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i> | | |
| <u>L17</u> | l16 and detect\$6 adj "no touch" adj state | 7 | <u>L17</u> |
| <u>L16</u> | touch adj (screen or panel) and "no touch" | 431 | <u>L16</u> |

| | | | |
|------------|--|------|------------|
| <u>L15</u> | l2 and "no adj touch" adj state | 0 | <u>L15</u> |
| <u>L14</u> | L13 and ((digital or touch) adj signal or bit adj level) same noise same (eliminat\$6 or reduct\$6) | 1 | <u>L14</u> |
| <u>L13</u> | l11 and @py<=2001 <i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i> | 13 | <u>L13</u> |
| <u>L12</u> | l11 and @py<=2001 <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i> | 13 | <u>L12</u> |
| <u>L11</u> | l2 and noise same (eliminat\$6 or reduct\$6) | 35 | <u>L11</u> |
| <u>L10</u> | L1 and (analog-to-digital adj converter or ADC) same (digital adj signal or bit adj level) and eliminat\$6 adj noise | 7 | <u>L10</u> |
| <u>L9</u> | L1 and (analog-to-digital adj converter or ADC) same (digital adj signal or bit adj level) same noise adj reduc\$6 | 0 | <u>L9</u> |
| <u>L8</u> | L7 and @py<=2001 | 17 | <u>L8</u> |
| <u>L7</u> | l5 and touch adj screen same touch\$6 | 49 | <u>L7</u> |
| <u>L6</u> | L5 and maximum adj bit adj level | 6 | <u>L6</u> |
| <u>L5</u> | L2 and (determin\$6 or detect\$6) adj touch\$6 | 85 | <u>L5</u> |
| <u>L4</u> | L2 and determin\$6 adj bit adj level | 0 | <u>L4</u> |
| <u>L3</u> | l2 and rading same (bit adj level or digital adj signal) | 0 | <u>L3</u> |
| <u>L2</u> | L1 and (ADC or analog near2 digital adj converter) same (reading or signal or digital adj signal) | 242 | <u>L2</u> |
| <u>L1</u> | touch adj (screen or pad or panel or touchpad) same touched | 4133 | <u>L1</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Term | Documents |
|--|-----------|
| PIXEL | 318608 |
| PIXELS | 237657 |
| "NO TOUCH" | 0 |
| GENERAT\$6 | 0 |
| GENERAT | 2784 |
| GENERATA | 7 |
| GENERATABL | 1 |
| GENERATABLE | 896 |
| GENERATABLE] | 2 |
| GENERATAD | 6 |
| GENERATADR | 1 |
| (L1 AND GENERAT\$6 ADJ PIXEL ADJ COORDINATES\$1 SAME "NO TOUCH" ADJ DETECT\$6).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD. | 0 |

There are more results than shown above. [Click here to view the entire set.](#)

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L19

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, January 24, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set
Name
 side by

Query



Hit
Count

Set
Name

| side | | result set |
|---|--|------------|
| DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| L19 | 11 and generat\$6 adj pixel adj coordinate\$1 same "no touch" adj detect\$6 | 0 L19 |
| DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ | | |
| L18 | 116 and detect\$6 adj "no touch" | 11 L18 |
| DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| L17 | 116 and detect\$6 adj "no touch" adj state | 7 L17 |
| L16 | touch adj (screen or panel) and "no touch" | 431 L16 |
| L15 | 12 and "no adj touch" adj state | 0 L15 |
| L14 | L13 and ((digital or touch) adj signal or bit adj level) same noise same (eleiminat\$6 or reduct\$6) | 1 L14 |
| L13 | 111 and @py<=2001 | 13 L13 |
| DB=PGPB,USPT; PLUR=YES; OP=ADJ | | |
| L12 | 111 and @py<=2001 | 13 L12 |
| DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ | | |
| L11 | 12 and noise same (eliminat\$6 or reduct\$6) | 35 L11 |
| L10 | L1 and (analog-to-digital adj converter or ADC) same (digital adj signal or bit adj level) and eliminat\$6 adj noise | 7 L10 |
| L9 | L1 and (analog-to-digital adj converter or ADC) same (digital adj signal or bit adj level) same noise adj reduc\$6 | 0 L9 |
| L8 | L7 and @py<=2001 | 17 L8 |
| L7 | 15 and touch adj screen same touch\$6 | 49 L7 |
| L6 | L5 and maximum adj bit adj level | 6 L6 |
| L5 | L2 and (determin\$6 or detect\$6) adj touch\$6 | 85 L5 |
| L4 | L2 and determin\$6 adj bit adj level | 0 L4 |
| L3 | 12 and rading same (bit adj level or digital adj signal) | 0 L3 |
| L2 | L1 and (ADC or analog near2 digital adj converter) same (reading or signal or digital adj signal) | 242 L2 |
| L1 | touch adj (screen or pad or panel or touchpad) same touched | 4133 L1 |

END OF SEARCH HISTORY

Freeform Search

| | | |
|---|---|--|
| Database: | US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins | |
| Term: | ((ADC or analog/digital adj converter\$1 or "analog to digital adj converter\$1) and touch adj (screen\$1 or panel\$1 or pad\$1) and first adj |   |
| Display: | 20 | Documents in Display Format: |
| | TI | Starting with Number |
| | 1 | |
| Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image | | |

Search

Clear

Interrupt

Search History

DATE: Wednesday, January 24, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

| <u>Set</u> <u>Name</u> side by side | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|--|--|----------------------------|---|
| | <i>DB=USPT; PLUR=YES; OP=ADJ</i> | | |
| <u>L5</u> | touch adj (screen or panel) same noise adj (reduction or elimination) | 9 | <u>L5</u> |
| <u>L4</u> | touch adj (screen or panel) same coordinate\$1 same determination same noise near2 elimination | 0 | <u>L4</u> |
| <u>L3</u> | touch adj (screen or panel) same coordinate\$1 same determination same noise adj reduction | 0 | <u>L3</u> |
| <u>L2</u> | touch adj (screen or panel) same coordinate\$1 same determination | 44 | <u>L2</u> |
| <u>L1</u> | touch adj (screen or panel or pad) same coordinate\$1 | 1760 | <u>L1</u> |

END OF SEARCH HISTORY